www.fingertens.com.au

Issue Date 20/06/2022



1. IDENTIFICATION

Product Identifier

TYRE SHINE

Recommended use of the chemical and restrictions on use Shining tyre sidewalls

Details of the supplier of the safety data sheet:

FINGERTENS Pty LtdLevel 2, 7 Grosvenor PlaceBrookvaleNSW2100EMailadmin@fingertens.com.auWeb Site:www.fingertens.com.auTelephone:1300 855 273Facsimile:1300 855 274

Emergency Telephone Number:

131126 Poisons Information Centre

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classified as hazardous according to Safe Work Australia criteria. Aspiration hazard – category 1

Label elements Hazard pictogram



Signal Word Danger

Hazard Statements H304 May be fatal if swallowed and enters airways

Precautionary Statements

General

P101 If medical advice is needed, have product container or label at hand.P102 Keep out of reach of children.P103 Read label before use.

Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor. P331 Do NOT induce vomiting.

Storage

P405 Store locked up.

Disposal

P510 Dispose of contents/ container in accordance with local/ national regulations.

Other hazards

Poisons Schedule (SUSMP) S5 POISON

3. COMPOSITION INFORMATION

Mixtures

INGREDIENT	CAS NUMBER	PROPORTION	
Naphtha (petroleum), hydrotreated light	64742-47-8	> 60%	

4. FIRST AID MEASURES

Description of first aid measures

For advice, contact a Poisons Information Centre (Phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation

If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin contact

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Eye contact

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

Ingestion

If swallowed, do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Use foam, fog or water spray, dry chemical, carbon dioxide. Do not use water jets.

Special hazards arising from the substance or mixture

Combustible liquid. Decomposes on heating emitting toxic fumes.

Advice for firefighters

Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. If safe to do so, remove containers from path of fire. Keep containers cool with water spray. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Hazchem Code

None allocated

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear protective equipment to prevent skin and eye contact and breathing in vapours. Shut off all possible sources of ignition. Work up wind or increase ventilation. Clear area of all unprotected personnel. Contact local emergency services where appropriate.

Environmental precautions

Avoid contaminating waterways. If contamination of sewers or waterways has occurred advise local emergency services.

Methods and material for containment and cleaning up

Contain using sand or soil. Prevent run off into drains or waterways. Use absorbent (soil, sand or other inert material). Use non sparking tools. Collect and seal in properly labelled containers or drums for disposal.

Reference to other sections

See Section 8 for appropriate personal protective equipment. See Section 13 for waste treatment methods.

7. HANDLING AND STORAGE

Precautions for safe handling

Keep out of reach of children. Avoid skin and eye contact and breathing in vapour. Keep away from heat and sources of ignition. Do not smoke. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

Conditions for safe storage, including any incompatibilities

This product is a Scheduled Poison (S5) and must be stored, maintained and used in accordance with the relevant regulations. Store in a cool, dry, well ventilated place out of direct sunlight. Store away from sources of heat or ignition. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Keep container standing upright. Keep containers closed when not in use. Check regularly for leaks.

Specific end uses

See Section 1.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

No exposure standard assigned for this specific material by the Safe Work Australia.

Ingredient	TWA ppm	TWA (mg/m³)	STEL ppm	STEL (mg/m³)
Oil mist, refined mineral		5		

As published by Safe Work Australia.

Time weighted average exposure standard (TWA) means the average airborne concentration of a substance over an eight-hour working day, for a five-day working week.

Peak limitation means a maximum or peak airborne concentration of a substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

Short term exposure limit (STEL) means the average airborne concentration of a substance calculated over a 15 minute period. The STEL should not be exceeded at any time during a normal eight hour working day.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric ontamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Exposure controls

Appropriate engineering controls

Ensure adequate ventilation when using. Maintain air concentrations below occupational exposure standards. Use only in well ventilated areas. Do not breathe vapours. In case of insufficient ventilation, wear suitable respiratory equipment or use with local exhaust ventilation. Keep container tightly closed when not in use.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Refer to Australian/New Zealand Standard AS/NZS 1337:1992 for guidance on selection and use of protective eyewear.

Skin protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Refer to Australian/New Zealand Standard AS/NZS 2161.1: 2000 for guidance on selection and use of protective gloves. Personal protective equipment for the body, appropriate footwear and any additional skin protection should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Refer to Australian/New Zealand Standard AS/NZS 1715 and AS/NZS 1716 for guidance on selection and use of respiratory devices.

General safety and hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

information on basic physical	and chemical prope
Appearance	Clear liquid
Odour	Odourless
Odour threshold	Not applicable
рН	Not applicable
Melting point/freezing point	Not available
Initial boiling point and boiling	
range	> 260 C
Flash point	> 95 C
Evaporation rate	Not available
Flammability (solid, gas)	Not applicable
Upper/lower flammability	
or explosive limits	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	0.82
Solubility	Negligible in water
Partition coefficient:	
n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not applicable
Viscosity	Not available
Explosive properties	Not applicable
Oxidising properties	Not applicable
0	

Other information No additional information

10. STABILITY AND REACTIVITY

Reactivity
No hazardous reactions under normal storage and use conditions.
Chemical stability
Stable under normal storage and use conditions.
Possibility of hazardous reactions
No hazardous reactions known under normal storage and use conditions.
Conditions to avoid
Avoid contact with foodstuffs. Avoid exposure to heat, sources of ignition, and open flame. Avoid contact with other chemicals.
Incompatible materials
Incompatible with oxidizing agents.
Hazardous decomposition products
None known under normal storage and use conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: No data available for the mixture

Ingredient	Oral Toxicity	Dermal	Inhalation
	(LD50)	Toxicity(LD50)	Toxicity(LC50)
Naphtha (petroleum), hydrotreated light	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	>5000 mg/kg (rat)

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitisation: No data available

Germ cell mutagenicity: No data available

Carcinogenicity: No data available

Reproductive toxicity: No data available

Summary of evaluation of the CMR properties: No data available

Specific Target Organ Toxicity (STOT)-single exposure: No data available

Specific Target Organ Toxicity (STOT)-repeated exposure: No data available

Aspiration hazard: May be fatal if swallowed and enters airways

Information on likely routes of exposure

Inhalation:

Inhalation of high concentrations of vapor or mist may cause irritation of the respiratory tract, headaches, dizziness, nausea, vomiting, and malaise.

Skin contact:

Prolonged or repeated contact may dry skin and cause irritation.

Eye contact:

May cause slight eye irritation

Ingestion:

Small amounts of liquid may be aspirated into the lungs during ingestion or from vomiting which may cause severe lung inflammation and lung edema (an accumulation of fluid in the lungs).

Symptoms related to the physical, chemical and toxicological characteristics

May cause slight redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long term exposure No information available.

Numerical measures of toxicity

Acute oral toxicity estimate (ATE) > 5000 mg/kg Acute dermal toxicity estimate (ATE) > 5000 mg/kg

Interactive effects

No information available.

12. ECOLOGICAL INFORMATION

Toxicity

Avoid contaminating waterways.

Persistence and degradability No data available.

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste must be disposed of in accordance with federal, state and local environmental control regulations. The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers..

14. TRANSPORT INFORMATION

Not classified as a Dangerous Good by the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail.

UN Number

Not applicable

UN Proper shipping name Not applicable

Transport hazard class(es): Not applicable

Packing group

Not applicable

Environmental hazards: Not applicable

Special precautions for user Not applicable

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

Other relevant information:

Hazchem Code None allocated

15. REGLATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

Poison schedule

Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Inventory listing(s)

AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt

Chemical safety assessment

No chemical safety assessment has been carried out for this substance / mixture by the supplier.

16. OTHER INFORMATION

Revision Date 20/06/2022 Reason for Revision - Address Change.

Abbreviations and Acronyms

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition) AICS - Australian Inventory of Chemical Substances ATE - Acute Toxicity Estimate CAS - Chemical Abstracts Service Registry Number GHS - Globally Harmonized System of Classification and Labelling of Chemicals IBC - Intermediate Bulk Container IATA - International Air Transport Association ICAO - Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG - International Maritime Dangerous Goods IMO – International Maritime Organisation LC50 - Lethal Concentration, 50% / Median Lethal Concentration MARPOL 73/78 - International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) LD50 - Lethal Dose, 50% / Median Lethal dose PBT - Persistent, Bioaccumulative and Toxic STOT-RE - Specific target organ toxicity (repeated exposure) STOT-SE - Specific target organ toxicity (single exposure) SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons

UN - United Nations

vPvB - very Persistent and very Bioaccumulative

This MSDS has been prepared by the Technical Manager, Fingertens Pty Ltd.

Reason for issue: Revision 10/11/2016

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since the manufacturer/supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is available upon request.